



| | | Demog | raphics | | | |
|---|---------------------|-------------------------------|--|--------------------------------|------------------------------------|--|
| Student Name: | DOB: | | Grade: | | Diagnosis: | |
| Parent/Guardian: | Home Ph | one: | Work Phone: | | Cell Phone: | |
| Insulin Orders | | | | | | |
| Insulin Dosing: | | | | | | |
| □ Carbohydrate □ Correction | □ Correction | on dose plus CHO | □ Fixed | $\hfill \square$ Fixed insulir | n dose | |
| coverage dose only | coverag | e | dose | with dosing | g scale scale | |
| Insulin(s): | | | | | | |
| □ Rapid Acting: □ Apidra □ | | _ | • | • | nay be substituted for the others | |
| □ Long Acting (if given at school): | | Give u | nit(s) at (tim | ıe) | | |
| Insulin Delivery: Pen | Syringe | □ Pump (make | e/model): | | | |
| Carbohydrate (CHO) Coverage per r | neal: | | | | | |
| unit(s) of insulin SQ per | grams of CHO | at breakfast | □ unit(s) of | insulin SQ per | grams of CHO at lunch | |
| Carbohydrate Dose Adjustment Price | or To Strenuous | Exercise: | | | | |
| ☐ Use exercise/PE CHO ratio of | unit(s) of insul | in pergram | s of CHO at breakfa | st | | |
| ☐ Use exercise/PE CHO ratio of | | | | | | |
| Correction Dose: | | | | | | |
| ☐ Give unit(s) of insulin SQ for | everv mg/ | dl greater than ta | arget BG of | mg/dl | | |
| ☐ If pre-meal BG less thanmg/ | | | | | | |
| ☐ Fixed Dose Insulin: unit(s) o | | | | | | |
| □ Split Insulin Dose: | i ilisalili sa give | ii belore school i | ileais | | | |
| Give unit(s) or% of me | al inculin doca 9 | O hefore meal a | nd unit(s) or | % of meal | insulin dose SO after meal | |
| | ai ilisullii uose s | od before filear a | 11d dffit(3) of _ | /6 01 111ear | insulin dose 3Q arter mear | |
| Snack Insulin Coverage: | (() () | | | CO (| | |
| unit(s) of insulin SQ per | grams of CHO | | | SQ for snack g | greater thangrams of CHO | |
| | | | Coverage | | | |
| For ketones <u>trace to small</u> (urine)/< | - | | | | ine)/> mmol/L (blood) | |
| ☐ Correction dose plus unit(s) | of insulin | | Correction dose pl | | s) of insulin | |
| □ unit(s) of insulin | | | unit(s) of ins | | | |
| | Ins | sulin Dose Admir | nistration Principles | | | |
| Insulin should be given: | | | | | | |
| Before meals | □ Before | e snacks 🛚 🗈 | Other times (pleas | se specify): | | |
| □ For hyperglycemia if BG > | mg/dl an | d hours si | nce last dose/bolus | | | |
| □ If CHO intake cannot be p | redetermined, i | nsulin should be | given no more than | minute | es after start of meal/snack | |
| If parent requests, insulin | should be given | no more than | minutes after s | start of meal/s | nack | |
| If parent requests, insulin should be given no more than minutes after start of meal/snack Use pump or bolus device calculations per programmed settings, once settings have been verified | | | | | | |
| □ Parent has permission to increase/decrease insulin correction dose by +/ unit(s) or by ratio unit(s) tomg/dl | | | | | | |
| □ Parent has permission to increase/decrease CHO coverage by +/ unit(s) of insulin or by ratio of unit(s) to grams of CHO | | | | | | |
| Independent Insulin Administration Skills & Supervision Needs* *Skills to be verified by school nurse | | | | | | |
| ☐ Insulin dose calculations ☐ | Carbohydrate c | | ☐ Measuring insuli | | ☐ Insulin administration | |
| | Independent 🗆 \ | _ | □ Independent □ W | | □ Independent □ With Supervision | |
| Other Diabetes Medication | | | | | | |
| Name of Medication Tim | Α | Dosage | Route | | Possible Side Effects | |
| Name of Medication | | Бозавс | Route | | 1 033IBIC SIDE Effects | |
| | | A 4 h | : t : | | | |
| Authorizations HEALTH CARE PROVIDER AUTHORIZATION PARENT/GUARDIAN AUTHORIZATION | | | | | | |
| I authorize the administration of the medications and student By signing below, I authorize: | | | | | | |
| diabetes self-management as ordered above. | | | The designated school personnel to administer the medication | | | |
| Provider Name (PRINT): | | | and treatment orders as prescribed above. | | | |
| | | By signing below, I agree to: | | | | |
| Phone: Fax: • Provide the necessary dia | | | | ssary diabetes | s management supplies and | |
| equipment; and • Notify the nurse of any changes in my child's care or condition | | | | | es in my child's care or condition | |
| Provider Signature: | <u> </u> | Date: | Parent Signature: | or any change | Date: | |
| Pate. Faient Signature. Date. | | | | | | |
| Acknowledged and received by: | | | School Nurse: | | Date: | |

| Maryland Diabetes Medical Management Plan/ Health Care Provider Order Form Valid from: Start/to End/or for School Year | | | | | | | |
|---|---------------------------------------|---|--------|--|--|--|--|
| Student Name: DOB: | | Grade: | | | | | |
| Student Name. DOB. | Blood Glucose Monitoring* | *Self-management skills to be verified by school no | urco | | | | |
| Blood Glucose (BG) Monitoring: | Blood Glucose Monitoring | Sen-management skills to be verified by school no | urse | | | | |
| | DE/Activity - Drior to dismissal | Additional monitoring per parent request | + | | | | |
| □ For symptoms of hypo/hyperglycemia & anytime tl | PE/Activity | □ Additional monitoring per parent request □ Student may independently check BG* | L | | | | |
| | Continuous Glucose Monitoring | Student may independently theth but | | | | | |
| □ Uses CGM Make/Model: | Continuous Giucose Monitoring | | | | | | |
| □ Other: | □ Other: | | | | | | |
| | | school notify parent | | | | | |
| | Hypoglycemia Management* | | nurse | | | | |
| Mild or Moderate Hypoglycemia (BG mg/dl to | | Self-management skins to be verified by school i | iiuisc | | | | |
| □ Provide quick-acting glucose product equal to 15 g | | al) if conscious & able to swallow | | | | | |
| If glucose gel is given, place student in recovery po | | ii), ii collscious & able to swallow. | | | | | |
| ☐ Suspend pump for BG < mg/dl and restart p | | | | | | | |
| ☐ Student should consume a meal or snack within | minutes after treating hypoglyce | mia | | | | | |
| □ Other: | | | | | | | |
| Always treat hypoglycemia before the administratio | n of meal/snack insulin | | | | | | |
| Repeat BG check 15 minutes after use of quick-actin | gglucose | | | | | | |
| If BG still low, re-treat with 15 gram quice | _ | | | | | | |
| If BG in acceptable range and it is lunch | | cover meal CHO per orders | | | | | |
| If CGM in use and BG 70 and arrow going Student may self-manage mild or moderate hypogly | | □ Yes □ No | | | | | |
| | terma and notiny the school hurse. | | | | | | |
| Severe Hypoglycemia (BG < mg/dl): | | | | | | | |
| If symptoms worsen despite treatment/retreatment airway, unable to swallow or seizing give: | times, student is unconscio | us, semi-conscious, unable to control his/he | 3r | | | | |
| | l or SQ | | | | | | |
| Place student in the recovery position | | | | | | | |
| Suspend pump, if applicable, and restart pu | mn at BG > mg/dl | | | | | | |
| Call 911 and state glucagon was given for h | | | | | | | |
| ☐ Use glucose gel inside cheek, even if unconscious, s | | | on. | | | | |
| If glucose gel is given, place student in recovery po | | or or to respense to Brasagerraa | | | | | |
| Н | yperglycemia Management* | *Self-management skills to be verified by school n | nurse | | | | |
| If BG greater than mg/dl, or when child comp | ains of nausea, vomiting, and/or ab | dominal pain, check urine/blood for ketone | es. | | | | |
| If urine ketones are <u>trace to small</u> or blood ketones | smmol/L: | | | | | | |
| Give ounces of sugar-free fluid or wa | ter per hour | | | | | | |
| Give insulin as listed in Insulin Orders | | | | | | | |
| • If urine ketones are moderate to large or blood ket | ones greater thanmmol/L | | | | | | |
| Give ounces of sugar-free fluid or wa | ter | | | | | | |
| Give insulin as listed in Insulin Orders | | | | | | | |
| If large ketones, vomiting or other signs of ketoaci | dosis, call 911. Notify parent/guardi | an | | | | | |
| Recheck BG and ketones hours after admi | nistering insulin | | | | | | |
| • Contact Parent/Guardian for: BG >mg/dl Ketones mmol/L | | | | | | | |
| Student may self-manage hyperglycemia with trace/small ketones and notify the school nurse: □ Yes □ No | | | | | | | |
| | Snacks | | | | | | |
| Snacks needed: | | | | | | | |
| ☐ Before physical education/physical activity/sports l | onger than mins 🗆 Per p | arent/guardian 🗆 Per student | | | | | |
| ☐ Limit snack to grams of CHO ☐ Delay sna | ack if BG >mg/dl | nack coverage | | | | | |
| Provider Name: | Signature: | Date: | | | | | |
| Acknowledged and received by: | School Nurse: | Date: | | | | | |

| Maryland Diabetes Medical Management Plan/ Health Care Provider Order Form Valid from: Start/to End//or for School Year | | | | | | |
|---|--|-------------------------------------|--------------|--|--|--|
| Student Name: | DOB: | Grade: | | | | |
| | Physical Education, Physical A | Activity, and Sports | | | | |
| □ Avoid physical education, physical activity, and sports if: □ BG < mg/dl □ BG > mg/dl □ Ketones present □ If BG is 80-100 mg/dl, give 15 grams of CHO and return to physical education, physical activity, or sports □ May disconnect pump for sports activities □ Student may set temporary basal rate □ Other: | | | | | | |
| | Transportation | on | | | | |
| □ BG must be >mg/dl for bus ride/walk home □ Only check BG if symptomatic prior to bus ride/walk home □ Allow student to carry quick-acting glucose for consumption on bus, as needed for hypoglycemia □ Student must be transported home with parent/guardian if (specify): □ Other: Disaster Plan (if needed for lockdown, 72 hr shelter in place) □ Continue to follow orders contained in this medical management plan | | | | | | |
| □ Additional insulin orders as follows: | aa.aaa.a.aaa. | | | | | |
| □ Other: | | | | | | |
| | Pump Manager | ment | | | | |
| Type of Pump: | Pump start date: | | : 🗆 On 🗆 Off | | | |
| Basal rates:unit(s)/hourAM/PMunit(s)/houraun | | | | | | |
| | ndent Pump Management Ski | | | | | |
| | school nurse. Supervision will be prov | vided if not fully independent when | appropriate | | | |
| Student is independent in the pump skills indicated below: Carbohydrate counting | | | | | | |
| | Additional Ord | ders | | | | |
| | | | | | | |
| | | | | | | |
| Parent/Guardian Consent for Self-Management | | | | | | |
| ■ I acknowledge that my child □ is □ is not authorized to self-manage as indicated by my child's health care provider. ■ I understand the school nurse will work with my child to learn self-management skills he/she is not currently capable of or authorized to perform independently. My child has my permission to independently perform the diabetes tasks listed below as indicated by my child's health care provider: □ Blood glucose monitoring □ Insulin administration □ Pump management □ Carbohydrate counting □ Insulin dose calculation □ Other: | | | | | | |
| Parent/Guardian Name: | Signature: | 2 5 | Date: | | | |
| Provider Name: | Signature: | | Date: | | | |
| Acknowledged and received by: | School Nurse: | | Date: | | | |

| Maryland Diabetes | Medical | Mana | agement Pla | an/ He | alth (| Care Provider Order Form | |
|--------------------------|---------|------|-------------|--------|--------|--------------------------|--|
| Valid from: Start _ | / | / | to End | | / | or for School Year | |